UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/710,606	07/23/2004	ERIK JON PETERSON		4605	
34892 7590 07/29/2008 NOVEL IDEAS INC				EXAMINER	
1117 SILO HILL DRIVE			WEAVER, SUE A		
GRAYSLAKE, IL 60030			ART UNIT	PAPER NUMBER	
			3781		
			MAIL DATE	DELIVERY MODE	
			07/29/2008	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
Office Action Comments	10/710,606	PETERSON, ERIK JON			
Office Action Summary	Examiner	Art Unit			
	Sue A. Weaver	3781			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).					
Status					
1) Responsive to communication(s) filed on					
	-· action is non-final.				
<i>;</i> —		secution as to the merits is			
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
ologod in accordance markine practice ander 2	parte quayre, 1000 0.2. 11, 10	0.0.210.			
Disposition of Claims					
4) ☐ Claim(s) 1-27 is/are pending in the application. 4a) Of the above claim(s) is/are withdraw 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-27 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or					
Application Papers					
 9) ☐ The specification is objected to by the Examiner. 10) ☐ The drawing(s) filed on 23 July 2004 is/are: a) ☐ accepted or b) ☐ objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. 					
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priori application from the International Bureau * See the attached detailed Office action for a list of	s have been received. s have been received in Application ity documents have been received (PCT Rule 17.2(a)).	on No ed in this National Stage			
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 7/23/04. 4) Interview Summary (PTO-413) Paper No(s)/Mail Date 5) Notice of Informal Patent Application 6) Other:					

1. The oath or declaration is defective. A new oath or declaration in compliance with 37 CFR 1.67(a) identifying this application by application number and filing date is required. See MPEP §§ 602.01 and 602.02.

Page 2

The oath or declaration is defective because:

The signature is an improper signature and does not match the name listed.

- 2. The listing of references in the specification is not a proper information disclosure statement. 37 CFR 1.98(b) requires a list of all patents, publications, or other information submitted for consideration by the Office, and MPEP § 609.04(a) states, "the list may not be incorporated into the specification but must be submitted in a separate paper." Therefore, unless the references have been cited by the examiner on form PTO-892, they have not been considered.
- 3. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the sectional views must be properly cross hatched to reflect the polyolefin, the TPE and the silicone claimed in claims 7, 8, 10, 21, 22 and 24 and the combination of the duckbill and cylindrical port claimed in claim 15 must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet,

Art Unit: 3781

and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

INFORMATION ON HOW TO EFFECT DRAWING CHANGES

Replacement Drawing Sheets

Drawing changes must be made by presenting replacement sheets which incorporate the desired changes and which comply with 37 CFR 1.84. An explanation of the changes made must be presented either in the drawing amendments section, or remarks, section of the amendment paper. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). A replacement sheet must include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of the amended drawing(s) must not be labeled as "amended." If the changes to the drawing figure(s) are not accepted by the examiner, applicant will be notified of any required corrective action in the next Office action. No further drawing submission will be required, unless applicant is notified.

Identifying indicia, if provided, should include the title of the invention, inventor's name, and application number, or docket number (if any) if an application number has not been assigned to the application. If this information is provided, it must be placed on the front of each sheet and within the top margin.

Annotated Drawing Sheets

A marked-up copy of any amended drawing figure, including annotations indicating the changes made, may be submitted or required by the examiner. The annotated drawing

Art Unit: 3781

sheet(s) must be clearly labeled as "Annotated Sheet" and must be presented in the amendment or remarks section that explains the change(s) to the drawings.

Timing of Corrections

Applicant is required to submit acceptable corrected drawings within the time period set in the Office action. See 37 CFR 1.85(a). Failure to take corrective action within the set period will result in ABANDONMENT of the application.

If corrected drawings are required in a Notice of Allowability (PTOL-37), the new drawings MUST be filed within the THREE MONTH shortened statutory period set for reply in the "Notice of Allowability." Extensions of time may NOT be obtained under the provisions of 37 CFR 1.136 for filing the corrected drawings after the mailing of a Notice of Allowability.

- 4. The specification is objected to as failing to provide proper antecedent basis for the claimed subject matter. See 37 CFR 1.75(d)(1) and MPEP § 608.01(o). Correction of the following is required: there doesn't appear to be any description in the specification with regard to the material claimed in claims 7, 8, 10, 21, 22 or 24 or the injection molding of claims 11 and 25. There also doesn't appear to be any support for a port that is both a duckbill and cylindrical as claimed in claim 15.
- 5. The following is a quotation of the second paragraph of 35 U.S.C. 112:
 The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 6. Claims 8,10,12 and 15-27 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.
- 7. Claims 8,10, 22 and 24 each recites the limitation "the class of polymers" in the second line. There is insufficient antecedent basis for this limitation in the claim.
- 8. Claims 12 and 26 each recites the limitation "the outlet port" in line 1. There is insufficient antecedent basis for this limitation in the claim.

Art Unit: 3781

9. Claim 17 recites the limitation "the inlet" and "the outlet" in lines 1 and 2. There is insufficient antecedent basis for this limitation in the claim.

- 10. Claim 19 recites the limitation "the medication reservoir" in line 2. There is insufficient antecedent basis for this limitation in the claim.
- 11. Claim 20 recites the limitation "the sealing ridge" in lines 2 and 3. There is insufficient antecedent basis for this limitation in the claim.
- 12. The duckbill of claim 23 appears to be a double inclusion of the duckbill of claim 9. Similarly the slit of calim 26 appears to be a double inclusion of the clit of calim 12 and the function claimed in claim 27 appears to be a double inclusion of the function claimed in claim 13. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 13. Claim 1 is rejected under 35 U.S.C. 102(b) as being by Marte '242.
 Marte teaches applicant's concept for providing a nursing bottle with a medication dispenser disposed between the nipple and bottle forming an upper chamber and a lower chamber. Note the flange 31 form a seal with the nipple flange and that member 32 is conical shaped.
- 14. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and

Art Unit: 3781

the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

15. Claims 1-3 are rejected under 35 U.S.C. 103(a) as being unpatentable over Anderson-Fignon '137 in view of Marte '242.

Anderson –Fignon teaches a medication dispenser with a nipple 11 and having an inlet and outlet port and sealed to the flange of the nipple. Note that Anderson-Fignon also suggests the use as a pacifier or with a nursing bottle. To have used the device with a bottle as taught by Marte would have been obvious. Note the cylindrical shape taught by Marte and the conical shape taught by Marte.

16. Claims 1.3.4.14 and 17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Anderson-Fignon '137 in view of Chen '193.

To have formed the dispenser of Anderson Fignon with a cylindrical seal with the nipple in the manner taught by Chen at 141 would have been obvious.

- 17. Claims 9, 12, 13, 15, 16, 18-20,23,26 and 27 are rejected under 35 U.S.C. 103(a) as being unpatentable over the references as applied to claim 1 above, and further in view of McIntyre et al' "541.
- 18. To have formed the port as a duckbill shape would have been obvious in view of the valve function taught by McIntyre et al in the embodiment for a nipple insert in Figure 6.
- 19. Claims 5 and 6 are rejected under 35 U.S.C. 103(a) as being unpatentable over the references as applied to claim 1 above, and further in view of Chen '577To have

Art Unit: 3781

formed the port as an elongated tubular member extending into the upper chamber would have been obvious in view of the teaching by Chen..

20. Claims 7 and 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over the references as applied to claims 1 and 12* above, and further in view of Sabesan '612.

- 21. To have formed the device of a polyolefin in the manner taught by Sabesan would have been obvious.
- 22. Claims 8,10,11,22,24 and 25 are rejected under 35 U.S.C. 103(a) as being unpatentable over the references as applied to claims 1 and 12 above, and further in view of Randolph '121.

To have formed the insert of a well-known TPE or materials taught by Randolph and formed it by liquid injection molding as also suggested by Randolph would have been obvious.

- 23. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The patents show other nipple constructions.
- 24. The following are suggested formats for either a Certificate of Mailing or Certificate of Transmission under 37 CFR 1.8(a). The certification may be included with all correspondence concerning this application or proceeding to establish a date of mailing or transmission under 37 CFR 1.8(a). Proper use of this procedure will result in such communication being considered as timely if the established date is within the required period for reply. The Certificate should be signed by the individual actually depositing or transmitting the correspondence or by an individual who, upon information and belief, expects the correspondence to be mailed or transmitted in the normal course of business by another no later than the date indicated.

Certificate of Mailing

Art Unit: 3781

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to:
Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450
on (Date)
Typed or printed name of person signing this certificate:
Signature:
Registration Number:
Certificate of Transmission
I hereby certify that this correspondence is being facsimile transmitted to the United States Patent and Trademark Office, Fax No. () on (Date)
Typed or printed name of person signing this certificate:
Signature:
Registration Number:

Please refer to 37 CFR 1.6(d) and 1.8(a)(2) for filing limitations concerning facsimile transmissions and mailing, respectively.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sue A. Weaver whose telephone number is (571) 272-4548 or at sue.weaver@uspto.gov. The examiner can normally be reached on Tuesday-Friday (5:30-4).

Art Unit: 3781

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor is Anthony Stashick_. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Sue A. Weaver/ Primary Examiner, Art Unit 3781